

Customized 0.15mm Thick 99.96% Pure Nickel Strip For 18650 Battery

for more products please visit us on victory-alloy.com

Basic Information	
• Place of Origin:	China
Brand Name:	Victory
Certification:	ISO,TUV, RoHS
Model Number:	N4,N6,Ni200,Ni201
Minimum Order Quantity:	2kg
Price:	\$28-\$32/kg
Packaging Details:	Spool package with Carton box, Coil package with polybag,
 Delivery Time: 	5-21 days
 Payment Terms: 	L/C, T/T, Western Union, MoneyGram

- L/C, T/T, Western Union, MoneyGram
- Supply Ability: 300 tons per month

W.

BLX



ь М 100

14

Product Specification

Product Name: Pure Nickel Strip
• Grade: N4,N6,Ni200,Ni201
Metal: Nickel
• Ni(min): 99.95%
• Resistance ($\mu\Omega$.m): 1.5
 Ultimate Strength (≥ MPa): 462
• Elongation (≥ %): 45
• Surface: Bright
• Density (g/cm3): 8.9 G/cm3
• Resistivity: 1.35±0.07
• Melting Point(°C): 1435-1446 °C
Application: Chemical Industry
• M.O.Q: 2KG
Highlight: Ribbon nickel metal strips, 99.9% Inconel 600 nickel metal stri



More Images



Product Description



PURE NICKEL STRIP

N4,N6,Ni200,Ni201

Customized service available

It has excellent mechanical properties, high corrosion resistance in ifferent environments, and magnetic feature, high heat transfer, high conductivity, low gas volume and low vapor pressure. It also has good spot welding properties and high tensile strength. It mainly used in lithium batteries, battery ear, metal stamping parts, electric vehicles, nickel batteries, telecommunications, electric vacuum, special bulbs and other industries.

Dimension:

- The thickness and dimensions can be met what customers required.
- 1. Material: pure nickel or nickel steel
- 2. Width: 2, 3, 4, 5, 6, 7, 8, 10, 15mm or customized width
- 3. Thickness: hot sale are 0.15mm/0.2mm, or customized thickness
- 4. Used for 18650, 26650, ,21700,32650, 32700 battery pack
- 4. Color: silver
- 5. 18650 nickel strip: 1P, 2P, 3P, 4P, 5P, 6P, 7P, 8P, 9P
- 26650 nickel strip: 1P, 2P, 3P, 4P, 5P, 6P, 7P, 8P, 9P 32650 nickel strip: 1P, 2P, 3P, 4P, 5P

Features:

- 1. Low resistance, make the battery pack more powerful, save energy.
- 2. Pure Nickel to make it easy welding, stable connection
- 3. Dood tensile and easy operate assembly.
- 4. shaped design, save too much work for customer to assembly battery pack.
- 5. High Electrical Conductivity
- 6. Anti-corrosive and low resistance

Physical properties:

- 1.Spot welding is good
- 2. The resistance is lower
- 3. Battery discharge time longer
- 4. The battery spot welding is stronger.

Functions/Applications:

- 1. manufacturing nickel-cadmium battery
- 2. nickel-hydrogen battery
- 3. lithium cell
- 4. assembled battery
- 5. industries of electric tool and special lights
- 6. Superconductor Applications

Specification

Grade	Ni+Co	Cu	Si	Mn	С	Mg	S	Р
N4	99.8	0.015	0.03	0.002	0.01	0.01	0.001	0.00 1
N6	99.6	0.10	0.10	0.05	0.10	0.10	0.005	0.00 2
Ni201	≥99.0	≤0.25	≤0.35	≤0.35	≤0.02	/	≤0.01	1
Ni200	≥99.2	≤0.25	≤0.35	≤0.35	≤0.15	/	≤0.01	1


Material	18650/21700/26650/32650 nickel strip	
Dimension	1P to 9P	
Available Space	18.5mm,19mm, 19.5mm, 20.2mm	
Usage	Use for 18650 battery pack	
Package	Nickel strip in roll pack into carton	
Physical properties	High temperature resistant, corrosion resistance,	
Technical support	With imported stamping machine, Japanese Sodick, complete mold (more than 2000 sets of battery industry hardware mold), and can open mold independently.	
Functions	Products are widely used in energy storage battery, new energy vehicles, electric bicycles, solar street lights, power tools and other energy products	

Advantage			erials are degrea e product is clea		adopt	the dry -punchi	ng technol	ogy to ensu	ire	
shape nicke	el stri	ip: 1P, 2P 3P, 4	P, 5P, 6P, 7P	, 8P, 9F	D					
odel Thickne	without battery spacer)		nm weld	Distance of tv welding center 19mm		Distance of two welding centers: 19.5mm		Distance of two welding centers: 20/20.25mm		
		Width(mm)	W	dth(mm)	Width(m	m)	Wid	th(mm))
1P		8		8		8	-		8	
2P		25.5/27		26.5/27		26.5/27		27		
3P		44		46		46		47		
4P				65.5		65.5				
	_	62.5						67		
5P 0.15/0.2r	nm	81		85		85			87	
6P		99.5		104.5		104.5			107	
7P		118		124		124			127	
8P		136.5		143.5		143.5			147	
9P		155		163		163			167	
+ shape nick	cel sti	rip								
Model	Т	hickness	Width			Distance (of two we	Iding cente	ers	
1P			8	X						
2P			23							
3P	0	15/0.2mm	39				18.5mm	n		
4P	0	15,0.2.	55				10.5111			
5P			71							
36			/1							
Туре		Dimension (mm)		Cell spacin	Width	Dimension of the Square hole	Nickel Plated steel strip	Pure Nickel	Type of battery pack	
				s(nn)		(nn)		- />	with	without
							Length for	r per Kg(m)		
		0.15%	7410 /	10.4		-			holder	holder
			7*18.4	18.4		-	128.3	112.6	holder	holder √
P 18650 Nickel	strip	0.15	\$7*19	19	7	-			holder √	
9 18650 Nickel	strip	0.15 0.15*	⊧7*19 7*19.5	19 19.5	7	-	128.3 127.9	112.6 112.1	holder √ √	
P 18650 Nickel	strip	0.15 0.15* 0.15*7	*7*19 7*19.5 *20.25	19	7	- - -	128.3 127.9 127.6	112.6 112.1 111.9	holder √	
		0.15 0.15* 0.15*7	*7*19 7*19.5 *20.25 (13.5*13.5)	19 19.5 20.25		-	128.3 127.9	112.6 112.1	holder √ √ √	
		0.15 0.15* 0.15*7 0.15*26*19	*7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5)	19 19.5 20.25 19		- - - 12*12	128.3 127.9 127.6 47.2	112.6 112.1 111.9 41.4	holder √ √ √ √	
		0.15 0.15* 0.15*7 0.15*26*19 0.15*27*19	*7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5)	19 19.5 20.25 19 19.5	26	- - 12*12 12*14.5	128.3 127.9 127.6 47.2 48.9	112.6 112.1 111.9 41.4 42.9	holder √ √ √ √ √ √	
P 18650 Nickel P 18650 Nickel	strip	0. 15 0. 15* 0. 15*7 0. 15*26*19 0. 15*27*19 0. 15*27*19.7	*7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5)	19 19.5 20.25 19 19.5 19.75	26	- - 12*12 12*14. 5 12. 5*12. 5	128.3 127.9 127.6 47.2 48.9 47	112.6 112.1 111.9 41.4 42.9 41.2	holder √ √ √ √ √ √ √ √ √	
NP 18650 Nickel NP 18650 Nickel Dislocation 2P	strip strip 18650	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19.7 0.15*27*20.2	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5)</pre>	19 19.5 20.25 19 19.5 19.75 20.25	26	- - 12*12 12*14. 5 12. 5*12. 5 13. 5*13. 5	128.3 127.9 127.6 47.2 48.9 47 48.9	112.6 112.1 111.9 41.4 42.9 41.2 42.9	holder √ √ √ √ √ √ √ √ √	
IP 18650 Nickel IP 18650 Nickel IP 18650 Nickel Dislocation 2P Nickel strip Dislocation 2P	strip strip 18650 p 18650	0.15 0.15*7 0.15*26*19 0.15*27*19 0.15*27*19.7 0.15*27*20.2 0.15*25.5*1 0.15*25.5*	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4	26	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 48.9	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9	holder √ √ √ √ √ √ √ √ √	4
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel stri Dislocation 2P	strip strip 18650 p 18650	0.15 0.15*7 0.15*26*19 0.15*27*19 0.15*27*19.7 0.15*27*20.2 0.15*25.5*1 0.15*25.5*	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 18.4	26	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 48.9 41.1	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9 36.1	holder 	4
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel strij Dislocation 2P Nickel strij	strip 18650 p 18650 p	0.15 0.15* 0.15*26+19 0.15*27*19 0.15*27*19.7 0.15*27*20.2 0.15*25.5* 0.15*25.5*	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 18.4 18.4 19.5	26 27 25. 5	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 48.9 41.1 38.6	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9 36.1 33.8	holder 	
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel strij Dislocation 2P Nickel strij	strip 18650 p 18650 p	0.15 0.15*7 0.15*26*19 0.15*27*19.7 0.15*27*19.7 0.15*27*20.2 0.15*25.5*1 0.15*25.5* 0.15*25.5*	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4(11*12.5) 9.(12*12)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 18.4 19.5 18.4	26 27 25.5 44.5 45	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 42. 9 36. 1 33. 8 24	holder √ √ √ √ √ √ √ √ √ √ √ √ √ √ √ √	
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel stri; Nickel stri;	strip 18650 p 18650 p	0.15 0.15*7 0.15*26*19 0.15*27*19.7 0.15*27*19.7 0.15*27*20.2 0.15*25.5*1 0.15*25.5* 0.15*25.5* 0.15*25.5*	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9.(12*12) 5(12.65*12.65)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 18.4 19.5 18.4 19.5	26 27 25. 5 44. 5	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 8*9.5 11*12.5 11*12.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4 29.1	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 42. 9 36. 1 33. 8 24 25. 5	holder 	4
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel stri Nickel stri;	strip 18650 p 18650 p	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*27.5*1 0.15*25.5*1 0.15*25.5*1 0.15*25.5*2 0.15*45.5*1 0.15*44.5*18 0.15*45*1 0.15*45*1	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 14.(11*12.5) 9.4(11*12.5) 9.(12*12) 15.(12.65*12.65) 5.(13.5*13.5)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 19.5 19.5 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19 20.15	26 27 25.5 44.5 45 47.5	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4 29.1 27.4	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7	holder J	4
P 18650 Nickel P 18650 Nickel islocation 2P Nickel stri Nickel stri Nickel stri P 18650 Nickel	strip strip 18650 p 18650 p	0.15 0.15* 0.15*26*19 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*45.5*18 0.15*45.5*18 0.15*45.5*18 0.15*47.5*20.12 0.15*47.5*20.2 0.15*63*18.5 0.15*65*18.5	<pre>k7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) i (12.65*12.65) 5 (13.5*13.5) (11*12.5) </pre>	19 19.5 20.25 19 19.5 20.25 18.4 18.4 19.5 18.4 19.5 18.4 19 20.15 20.25 18.5	26 27 25.5 44.5 45 47.5 63	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 13.5*13.5 11*12.5 12*12	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4 29.1 27.4 29.4 21.6	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4	holder √	4
P 18650 Nickel P 18650 Nickel Nislocation 2P Nickel strij Nickel strij P 18650 Nickel	strip strip 18650 p 18650 p	0.15 0.15*2 0.15*26:19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*20.2 0.15*47.5*20.12 0.15*63*18.5 0.15*63*18.5	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 19.5(8*9.5) 4(11*12.5) 9(12*12) 5(12.65*12.65) 5(13.5*13.5) (11*12.5) 9(12*12) 5(13.6*12.65) 9(12*12) 5(12.65*12.65)</pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 18.4 19.5 18.4 19.5 20.25 18.4 19.5 18.4 19 20.15 20.25 18.5 19 20.15 20.25	26 27 25.5 44.5 45 47.5 63 64 67.95	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 12*12 12.65*12.65	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2	holder J	4
P 18650 Nickel P 18650 Nickel Nislocation 2P Nickel strij Nickel strij P 18650 Nickel	strip strip 18650 p 18650 p	0.15 0.15* 0.15*26+19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*25.5*20.15*45*18 0.15*47.5*20.12 0.15*47.5*20.2 0.15*67.95*20.1 0.15*67.7*20.2	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) 5 (13.5*13.5) 5 (13.5*13.5) 5 (12.5*12.65) 5 (13.5*13.5)</pre>	19 19.5 20.25 19 19.5 20.25 19 19.5 20.25 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19 20.15 20.25 19 20.15 20.15 20.25	26 27 25.5 44.5 45 47.5 63 64 67.95 67	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 12*12 12.65*12.65 13.5*13.5	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21 19.6 21.3	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2 18. 7	holder 4	4
P 18650 Nickel P 18650 Nickel islocation 2P Nickel stri Nickel stri P 18650 Nickel P 18650 Nickel	strip strip 18650 p strip strip	0.15 0.15* 0.15*26*19 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*25.5* 0.15*45.5*1 0.15*45.5*1 0.15*45*1 0.15*47.5*20.1 0.15*67.95*20.1 0.15*64.1 0.15*67.7*20.2 0.15*82*1	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) 5 (13.5*13.5) (11*12.5) 9 (12*12) 5 (13.6*12.65) 5 (13.6*12.65) 5 (13.5*13.5) 9 (12*12)</pre>	19 19.5 20.25 19 19.5 20.25 19 19.75 20.25 18.4 19.5 20.15 20.25 18.4 19 20.15 20.25 18.5 19 20.15 20.25 18.5 19	26 27 25.5 44.5 45 47.5 63 64 67.95 67 83	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.4 21.6 21 19.6 21.3 16.4	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2 18. 7 14. 4	holder 4	4
P 18650 Nickel P 18650 Nickel islocation 2P Nickel stri Nickel stri P 18650 Nickel P 18650 Nickel	strip strip 18650 p strip strip	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*20.12 0.15*67.5*20.2 0.15*67.7*20.2 0.15*67.7*20.2	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) (12.65*12.65) 5 (13.5*13.5) (11*12.5) 9 (12*12) 5 (13.65*12.65) 5 (13.5*13.5) 9 (12*12) 5 (12.65*12.65) </pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 19.5 18.4 19.5 20.15 20.25 18.4 19.5 20.15 20.15 20.25 18.5 19 20.15 20.25 19 20.15 20.25 19 20.15	26 27 25.5 44.5 45 47.5 63 64 67.95 67 83 88.1	- - - 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65	128.3 127.9 127.6 47.2 48.9 47.4 8.9 48.9 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21 19.6 21 31.6 4 19.7	112. 6 112. 1 111. 9 41. 4 42. 9 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2 18. 7 14. 4 17. 3	holder J <td>4</td>	4
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel strip Nickel strip Nickel strip P 18650 Nickel	strip strip 18650 p strip strip	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19.7 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.45*18 0.15*47.5*20.1 0.15*47.5*20.2 0.15*67.95*20.1 0.15*67.95*20.1 0.15*67.95*20.1 0.15*67.95*20.1 0.15*83*1 0.15*83*1*20.15*1	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4(11*12.5) 9(12*12) 5(12.65*12.65) 5(13.5*13.5) (11*12.5) 9(12*12) 5(12.65*12.65) 5(13.5*13.5) (11:2) 5(12.65*12.65) 5(13.5*13.5)</pre>	19 19.5 20.25 19 19.5 20.25 18.4 18.4 19.5 20.25 18.4 19.5 20.15 20.15 20.15 20.25 18.5 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25	26 27 25.5 44.5 45 47.5 63 64 67.95 67 83 88.1 87.9	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 13.5*13.5	128.3 127.9 127.6 47.2 48.9 47.4 8.9 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21 19.6 21.3 16.4 19.7 16.7	112. 6 112. 1 111. 9 41. 4 42. 9 42. 9 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2 18. 7 14. 4 17. 3 14. 6	holder 4	4
NP 18650 Nickel IP 18650 Nickel Dislocation 2P Nickel stri; NF 18650 Nickel NF 18650 Nickel NF 18650 Nickel	strip 18650 p strip strip strip	0.15 0.15*7 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*20.1 0.15*45.7*20.1 0.15*63*18.5 0.15*63*18.5 0.15*65.7*20.2 0.15*63*18.5 0.15*858.1*20.1 0.15*888.1*20.1 0.15*888.1*20.12 0.15*888.1*20.12 0.15*87.9*20.2 0.15*102*12	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) 5 (13.5*13.5) (11*12.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12)</pre>	19 19.5 20.25 19 19.5 20.25 19.5 19.5 20.25 18.4 19.5 18.4 19.5 18.4 19.5 20.15 20.15 20.15 20.15 20.25 18.5 19 20.15 20.25 18.5 19 20.15 20.25 19	26 27 25. 5 44. 5 45 47. 5 63 64 67. 95 67 88. 1 87. 9 102	- 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12	128.3 127.9 127.6 47.2 48.9 47 48.9 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21.3 16.4 19.6 21.3 16.7 13.5	112. 6 112. 1 111. 9 41. 4 42. 9 41. 2 42. 9 36. 1 33. 8 24 25. 5 24 25. 7 18. 9 18. 4 17. 2 18. 7 14. 4 17. 3 14. 6 11. 9	holder J <td>4</td>	4
P 18650 Nickel P 18650 Nickel Dislocation 2P Nickel stri Dislocation 2P Nickel stri P 18650 Nickel P 18650 Nickel P 18650 Nickel	strip 18650 p strip strip strip	0.15 0.15*7 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*20.1 0.15*45.7*20.1 0.15*63*18.5 0.15*63*18.5 0.15*65.7*20.2 0.15*63*18.5 0.15*858.1*20.1 0.15*888.1*20.1 0.15*888.1*20.12 0.15*8102*1 0.15*102*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*1 0.15*102*102*102*102*102*102*102*102*102*102	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12*14.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 8.4(11*12.5) 8.4(11*12.5) 9.(12*12) 9.(12*12) 5.(13.5*13.5) (11*12.5) 9.(12*12) 5.(13.5*13.5) 9.(12*12) 5.(13.5*13.5) 9.(12*12) 5.(13.5*13.5) 9.(12*12) 1.(12*1</pre>	19 19.5 20.25 19 19.5 20.25 19.5 19.5 20.25 18.4 19.5 18.4 19.5 18.4 19.5 20.15 20.15 20.15 20.15 20.15 20.15 20.15 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15	26 27 25.5 44.5 47.5 63 64 67.95 67 83 88.1 9 7.02 108.23	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 12.5*12.65 12*12 5 12.65*12.65 13.5*13.5 12.5*12.65 13.5*13.5 12.65*12.65 13.5*13.5 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5*13.5 12.65*12.65 13.5 13.5*13.5 12.65*12.65 13.5 1	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21.3 16.4 19.6 21.3 16.7 13.5 12.6	112.6 112.1 111.9 41.4 42.9 41.2 42.9 36.1 33.8 24 25.5 24 25.7 18.9 18.4 17.2 18.7 14.4 17.3 14.6 11.9 11	holder J <td>4</td>	4
NP 18650 Nickel Dislocation 2P Nickel strij Dislocation 2P Nickel strij NP 18650 Nickel	strip 18650 p strip strip strip	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5* 0.15*25.5* 0.15*45.5* 0.15*45.5* 0.15*45.5*20.2 0.15*47.5*20.1 0.15*67.7*20.2 0.15*63*18.5 0.15*67.7*20.2 0.15*83*120.1 0.15*87.95*20.1 0.15*87.95*20.2 0.15*88.1*20.15	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 19.5(8*9.5) 4(11*12.5) 9(12*12) 5(12.65*12.65) 11.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 5(13.5*13.5) 9(12*12) 25*20.15 25(13.5*13.5) </pre>	19 19.5 20.25 19 19.5 20.25 18.4 19.5 18.4 19.5 18.4 19.5 18.4 19.5 20.15 20.25 18.5 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25	26 27 25.5 44.5 47.5 63 64 67.95 67 83 88.1 187.9 102 106.21 108.1	- - 12*12 12*14.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 13.5*13.5 12*12 12.65*12.65 13.5*13.5 13.5*13.5 12*12 12.65*12.65 13.5*13.5 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5*13.5 12*12 13.5*13.5 13.5*13.	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.1 21.6 21.3 16.4 19.7 16.7 13.5 12.6 13.7	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9 36.1 33.8 24 25.5 24 25.7 18.9 18.4 17.2 18.7 14.4 17.3 14.6 11.9 11 12	holder J <td>4</td>	4
NP 18650 Nickel Dislocation 2P Nickel strij Dislocation 2P Nickel strij NP 18650 Nickel NP 18650 Nickel SP 18650 Nickel	strip 18650 p strip strip strip	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5*1 0.15*25.5*1 0.15*25.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*1 0.15*45.5*20.1 0.15*45.5*20.1 0.15*45.5*20.1 0.15*67.9*20.2 0.15*67.7*20.2 0.15*85.1*20.1 0.15*85.1*20.1 0.15*85.1*20.1 0.15*102*1 0.15*102*1 0.15*108.1*20.1 0.15*10	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) 5 (12.65*12.65) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) </pre>	19 19.5 20.25 19 19.5 20.25 19.75 20.25 18.4 19.5 18.4 19.5 20.15 20.25 18.4 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19	26 27 25.5 44.5 45 47.5 63 64 67.95 67 83 88.1 87.9 102 2108.2 108.1	- - - - - - - - - - - - - -	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.4 21 19.6 21.3 16.4 19.7 16.7 13.5 12.6 13.7 11.5	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9 36.1 33.8 24 25.5 24 25.7 18.9 18.4 17.2 18.7 14.4 17.3 14.6 11.9 11 12 10	holder J <td>4</td>	4
NP 18650 Nickel Dislocation 2P Nickel strij Dislocation 2P Nickel strij NP 18650 Nickel NP 18650 Nickel SP 18650 Nickel	strip 18650 p strip strip strip	0.15 0.15* 0.15*26*19 0.15*27*19 0.15*27*19 0.15*27*19 0.15*27*20.2 0.15*25.5* 0.15*25.5* 0.15*45.5* 0.15*45.5* 0.15*45.5*20.2 0.15*47.5*20.1 0.15*67.7*20.2 0.15*63*18.5 0.15*67.7*20.2 0.15*83*120.1 0.15*87.95*20.1 0.15*87.95*20.2 0.15*88.1*20.15	<pre>%7*19 7*19.5 *20.25 (13.5*13.5) 5(12.5*12.5) 5(12.5*12.5) 5(13.5*13.5) 8.4(11*12.5) 18.4(8*9.5) 19.5(8*9.5) 4 (11*12.5) 9 (12*12) (12.65*12.65) 5 (13.5*13.5) 9 (12*12) 5 (13.65*12.65) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) 9 (12*12) 5 (13.5*13.5) </pre>	19 19.5 20.25 19 19.5 19.75 20.25 18.4 19.5 18.4 19.5 20.15 20.25 18.4 19.5 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15 20.25 19 20.15	26 27 25.5 44.5 45 47.5 63 64 67.95 67 83 88.1 87.9 102 2108.2 108.1	- - - 12*14.5 12.*12.5 12.5*12.5 13.5*13.5 11*12.5 8*9.5 8*9.5 11*12.5 12*12 12.65*12.65 13.5*13.5 12*12 12.65*12.65 13.5	128.3 127.9 127.6 47.2 48.9 47 48.9 41.1 38.6 27.4 29.1 27.4 29.1 27.4 29.1 27.4 29.4 21 19.6 21.3 16.4 19.7 16.7 13.5 12.6 13.7 11.5	112.6 112.1 111.9 41.4 42.9 41.2 42.9 42.9 36.1 33.8 24 25.5 24 25.7 18.9 18.4 17.2 18.7 14.4 17.3 14.6 11.9 11 12	holder J <td>4</td>	4

Product Details High-quality materials and surface treatment technology







Nickel strip is a thin metal strip made of nickel and is commonly used in various application areas, including:

1. Battery assembly: Nickel strip is commonly used as an internal connector and support material for batteries, capable of withstanding high temperature and high-pressure environments, while maintaining good conductivity and stability.

2. Electronic devices: Nickel strip is often used as a connecting wire and conductor for electronic components, circuit boards, and other devices.

3. Solar panels: Nickel strip is used as an internal connector and support material for solar panels, capable of withstanding high temperature and high-pressure environments, while maintaining good conductivity and stability.

4. Thermocouples: Nickel strip can be used to manufacture thermocouples, which are used for temperature measurement and for converting temperature signals into electrical signals.

5. Chemical industry: Nickel strip can be used to manufacture steam heaters and coolers in chemical equipment and reactors.

6. Other fields: Nickel strip can also be used to manufacture anti-static materials, conductive tapes, electromagnetic shielding materials, and more.

In summary, nickel strip has excellent conductivity, corrosion resistance, and stability, making it suitable for use in multiple application areas.







1000+ Metal Products

2000+

Cooperative Business

Company Profile


We are a leading alloy metal manufacturer founded in 2002, providing high-quality and high-performance alloy products and services to our customers. Our company is dedicated to becoming the industry leader in the alloy field, and we have received multiple industry certifications and awards, including the ISO9001 International Quality Management System Certificate and the SGS Certificate. Over the past 18 years, we have focused on the resistance alloy business and

50+

Certifications

Over the past 18 years, we have focused on the resistance alloy business and continuously innovated and explored, ultimately developing new nickel-based alloy products such as chromium-nickel-iron alloy, Monel alloy, Hastelloy alloy, high-temperature alloy, and more.





Our Certifications

0 **•** • • <u>•</u> 中国教友的方工业3 校 次 1953,215 @ C 2014/0-1-1-1 1- PROJE-BARE: 22 ALC-MEA ient Sy This is to only Changzhou DLX Alloy Co., Ltd. 中国访 * 16 4 5 6 7 1
 H B A
 H B

 5
 4
 5
 6
 8

 10
 4
 4
 6
 10
 4
 4

 100
 4
 4
 4
 100
 4
 4
 1

 100
 4
 4
 4
 1
 1
 1
 1
 江苏戴岩 校 i Quality Management System complex with GB/719001-2016 idt ISO90012015 647 4.4.9.4 4.4.9.4 4.5.9.4 中国诚信 548 648 64 P E MP GRE FRINK REIT in this \odot Cardinar und à.ks 上母年已经经常处理

