

### Low Price UNS N08811 1.4958 Nickel Chrome Alloy Incoloy 800/800H/800HT/825 Tube

for more products please visit us on victory-alloy.com

Basic Information	
Place of Origin:     Brand Name:     Certification:     Model Number:	China Victory CE,ROHS,ISO 9001 Incoloy 800,800H,800HT,825,925
<ul> <li>Minimum Order Quantity:</li> <li>Price:</li> </ul>	5 Kg 30 - 499 kilograms \$48.90
<ul> <li>Packaging Details:</li> </ul>	Plastic film or waterproof woven bag inside, wire packed in spool put into carton,coil wire or strip wire put into wooden case
Delivery Time:	5-21 days
<ul> <li>Payment Terms:</li> </ul>	L/C, T/T, Western Union, MoneyGram



# W.

11

1.1

**BIX** 

# Product Specification

Highlight:	800ht Incoloy Alloy, Welded Incoloy Alloy, Seamless Incoloy 800ht Pipe
<ul> <li>Application:</li> </ul>	Aerospace Industry, Chemical Processing
<ul> <li>Processing Service:</li> </ul>	Decoiling,Cutting,Bending
• Size:	Customized Size
• Surface:	Bright
<ul> <li>Density (g/m3):</li> </ul>	8.4 G/cm3
<ul> <li>Elongation (≥ %):</li> </ul>	35%
• Ultimate Strength (≥ MPa):	500
<ul> <li>Powder Or Not:</li> </ul>	Not Powder
<ul> <li>Resistance (μΩ.m):</li> </ul>	1.15
<ul> <li>Nickel(Min):</li> </ul>	72%
Material:	Ni Fe Cr
<ul> <li>Product Name:</li> </ul>	Incoloy Tube

### More Images



## **Product Description**

Our Product Introdu

for more products please visit us on victory-alloy.com

Contact Person : Steven WhatsApp : +8618961220953 E-mail: victory@dlx-alloy.com





# **INCOLOY TUBE** Incoloy 800,800H,800HT,825,925

Customized service available

Incoloy alloy is characterised by high temperature resistance combined with excellent corrosion resistance. It has excellent corrosion resistance, high strength, easy to fabricate. It can be found in a wide range of product forms across many industries.

Incoloy 800HT has excellent resistance in chemicals containing sulfuric acid, and has good resistance to environments containing chlorides, phosphoric acid and nitric acid. It contains niobium for stabilization against sensitization and resultant intergranular corrosion. It also has good mechanical properties and fabricability.

### Size dimension range:

Wire: 0.01-10mm Strip: 0.05\*5.0-5.0\*250mm Bar:  $\varphi$ 4-50mm;Length 2000-5000mm Pipe:  $\varphi$ 6-273mm; $\delta$ 1-30mm;Length 1000-8000mm Sheet:  $\delta$  0.8-36mm;Width 650-2000mm;Length 800-4500mm

### Incoloy series:800,800H,800HT,825

Item	800	800H	800HT	825	92
С	≤0.1	0.05-0.1	0.06-0.1	≤0.05	≤0
Mn	≤1.5	≤1.5	≤1.5	≤1	≤
Fe	rest	rest	rest	rest	re
Р				≤0.02	≤0
S	≤0.015	≤0.015	≤0.015	≤0.03	≤0
Si	≤1	≤1	≤1	≤0.5	≤(
Cu	≤0.75	≤0.75	≤0.75	1.5-3	1.{
Ni	30-35	30-35	30-35	38-46	42
AI	0.15-0.6	0.15-0.6	0.15-0.6	0.2-1	0.15
Ti	0.15-0.6	0.15-0.6	0.15-0.6	0.6-1.2	1.9
Cr	19-23	19-23	19-23	19.5-23.5	19.5
Мо				2.5-3.5	2.5

# **Product Details**


High-quality materials and surface treatment technology


oth Ede













ss Teste



