

Professional Manufacture Bright Surface Hastelloy C276 Nickel Alloy Seamless Tube/Pipe

for more products please visit us on victory-alloy.com

| Basic Information | | | | | | |
|--|--|--|--|--|--|--|
| • Place of Origin: | China | | | | | |
| Brand Name: | Victory | | | | | |
| Certification: | CE,ROHS,ISO 9001 | | | | | |
| Model Number: | HC-276,C-22,C-4,B2,B3,N | | | | | |
| Minimum Order Quantity: | 5 Kg | | | | | |
| Price: | 10 - 99 kilograms \$35.00 | | | | | |
| Packaging Details: | Hastelloy alloy are rolled and packed with plastic film,or in wooden boxes. Special packaging requirements can also be accommodated. OEM is also acceptable | | | | | |
| Delivery Time: | 5-21 days | | | | | |
| Payment Terms: | L/C, T/T, Western Union, MoneyGram | | | | | |
| Supply Ability: | 300 tons per month | | | | | |



6 15

BIX

Product Specification

| Product Name: | Hastelloy Alloy Pipe |
|---|---|
| Material: | Ni Cr Mo |
| • Ni (Min): | 55% |
| Temperature Range: | 1260~1355°C |
| Resistance (μΩ.m): | 1.15 |
| Powder Or Not: | Not Powder |
| Ultimate Strength (≥ MPa): | 790 |
| Elongation (≥ %): | 30% |
| ElectricaDensity (g/m3)l Resistivity 24°C : | 8.4g/cm3 |
| • Surface: | Bright,Oxided |
| • Size: | Customized Size |
| Application: | Aerospace Industry, Chemical Industry, Marine Industry |
| Highlight: | C4 Hastelloy Alloy, Hastelloy Alloy AS N06455 hastelloy c4 |



More Images



Product Description

HASTELLOY ALLOY TUBE

HC-276,C-22,C-4,B2,B3,N

Customized service available

Hastelloy is a nickel-based corrosion-resistant alloy, which is mainly divided into two categories: nickel-chromium alloy and nickel-chromium-molybdenum alloy. Hastelloy has good corrosion resistance and thermal stability, and is mostly used in aviation, chemical fields, etc.

Hastelloy is composed of elements such as Ni, Cr, Mo, Fe, Si, etc. It is Ni-Mo series, Ni-Cr-Mo series and Ni-Si series corrosion-resistant and heat-resistant alloys in nickel-based alloys. Its density 9.2g/cm, melting point 1330-1380[°]C, magneti permeability≤1.001([°]C, RT).

Hastelloy grades: Hastelloy C276, Hastelloy C22, Hastelloy C-2000, Hastelloy C-4, Hastelloy C, Hastelloy B, Hastelloy B-2, Hastelloy B-3, Hastelloy X, Hastelloy G-30, Hastelloy G-35, etc. UNS N10276, UNS N06022, UNS N06200, UNS N10665, UNS N10675, UNS N06030, UNS N06002, etc. Hastelloy seamless pipes, steel plates, round bars, forgings, flanges, H-rings, welded pipes, steel strips, straight bars, wires and supporting welding consumables, processed parts, etc.

| | 110.070 | 0.00 | 0.1 | 52 | 50 | |
|-------|-----------|-----------|--------|---------|-------|-----|
| item | HC-276 | C-22 | C-4 | B2 | B3 | |
| С | ≤0.01 | ≤0.015 | ≤0.015 | ≤0.02 | ≤0.01 | 0.(|
| Mn | ≤1 | ≤0.5 | ≤1 | ≤1 | ≤3 | |
| Fe | 4-7 | 2-6 | ≤3 | ≤2 | ≤1.5 | |
| Р | ≤0.04 | ≤0.02 | ≤0.04 | ≤0.04 | | ≤ |
| S | ≤0.03 | ≤0.02 | ≤0.03 | ≤0.03 | | 1 |
| Si | ≤0.08 | ≤0.08 | ≤0.08 | ≤0.1 | ≤0.1 | |
| Ni | rest | rest | rest | rest | ≤65 | |
| Co | ≤2.5 | ≤2.5 | ≤2 | ≤1 | ≤3 | |
| Ti+Cu | | | ≤0.7 | | ≤0.4 | 1 |
| Al+Ti | | | | | ≤0.5 | |
| Cr | 14.5-16.5 | 20-22.5 | 14-18 | ≤1 | ≤1.5 | |
| Мо | 15-17 | 12.5-14.5 | 14-17 | 26-30 | ≤28.5 | - |
| В | | | | | | 1 |
| W | 3-4.5 | 2.5-3.5 | | | ≤3 | |
| V | ≤0.35 | ≤0.35 | | 0.2-0.4 | | |

| Hastelloy | Density g/cm3 | Melting point °C | Elongati on A5 % | Tensile Strength Rm N/mm2 | Yield Streng RP0.2N/mm |
|-----------|------------------|---------------------|---------------------|---------------------------------|---------------------------|
| C-276 | 8.9 | 1325-1370°C | 62 | 758 | 363 |
| C-22 | 8.9 | 1325-1370 °C | 40 | 690 | 283 |
| C-2000 | 8.5 | 1399°C 2550°F | 45 | 690 | 283 |
| B-2 | 9.2 | 1330-1380°C | 40 | 745 | 325 |
| B-3 | 9.22 | 1370-1418°C | 40 | 760 | 350 |
| G-30 | 8.22 | 1399°C 2550°F | 62 | 524 | 200 |
| Х | 8.3 | 1260-1355°C | 30 | 690 | / |
| C-4 | 8.64 | 399°C 2550°F | 40 | 690 | 280 |
| G-35 | 8.22 | 1370-1400°C | / | / | / |
| С | 8.94 | 1330-1380 °C | 40 | 690 | 310 |




2. Aerospace industry: Due to the excellent high temperature performance and corrosion resistance of Hastelloy alloy, it is widely used in aerospace applications such as jet engines and rocket components.

3. Marine engineering: Hastelloy alloy tubes have excellent corrosion resistance to seawater, so they are widely used in offshore oil platforms, seawater desalination, and shipbuilding.

4. Power generation industry: Hastelloy alloy tubes can be used in power generation equipment such as boilers, heat exchangers, and condensers due to their high temperature strength and corrosion resistance.

5. Pharmaceutical industry: Hastelloy alloy tubes have good biocompatibility and can be used in pharmaceutical production equipment and clean rooms.

In summary, Hastelloy alloy tubes have a wide range of applications in various fields such as chemical, aerospace, marine, power generation, and pharmaceutical industries due to their excellent corrosion resistance, high temperature strength, and good fabricability.







1000+ Metal Products

2000+

Cooperative Business

Company Profile


We are a leading alloy metal manufacturer founded in 2002, providing high-quality and high-performance alloy products and services to our customers. Our company is dedicated to becoming the industry leader in the alloy field, and we have received multiple industry certifications and awards, including the ISO9001 International Quality Management System Certificate and the SGS Certificate. Over the past 18 years, we have focused on the resistance alloy business and

50+

Certifications

Over the past to years, we have focused on the resistance alloy business and continuously innovated and explored, ultimately developing new nickel-based alloy products such as chromium-nickel-iron alloy, Monel alloy, Hastelloy alloy, high-temperature alloy, and more.





Our Certifications

Our products have obtained national standard certification



