

### Nickel Alloy Incoloy 800/800H/825/925 Steel Bar ASTM N07718 Inconel 718 Steel Round Bar

for more products please visit us on victory-alloy.com

Basic Information	
• Place of Origin:	China
<ul> <li>Brand Name:</li> </ul>	Victory
Certification:	ISO9001,ROHS
<ul> <li>Model Number:</li> </ul>	Incoloy 800,800H,800HT,825,925
Minimum Order Quantity:	5 Kg
Price:	50 - 499 kilograms \$36.00
<ul> <li>Packaging Details:</li> </ul>	Incoloy bar is packed into wooden cases. Special packaging requirements can also be accommodated. OEM is also acceptable
<ul> <li>Delivery Time:</li> </ul>	7-20 Days
<ul> <li>Payment Terms:</li> </ul>	L/C, T/T, Western Union, MoneyGram
<ul> <li>Supply Ability:</li> </ul>	300 tons per month



6 15

110

**BIX** 

## **Product Specification**

<ul> <li>Service:</li> </ul>	OEM/ODM	
0120.		
Size:	Customized Size	
<ul> <li>Application:</li> </ul>	Construction, Industry	
• Sureface:	Bright,Oxided	
Powder Or Not:	Not Powder	
Density:	8.2 G/cm3	
<ul> <li>Elongation (≥ %):</li> </ul>	30	
<ul> <li>Ultimate Strength (≥ MPa):</li> </ul>	965	
<ul> <li>Resistance (μΩ.m):</li> </ul>	1.15	
• Ni (Min):	72%	
Material:	Iron Nickel Material	V#/\=
<ul> <li>Product Name:</li> </ul>	Nickel Alloy Round Bar	VIC
	<ul> <li>Material:</li> <li>Ni (Min):</li> <li>Resistance (μΩ.m):</li> <li>Ultimate Strength (≥ MPa):</li> <li>Elongation (≥ %):</li> <li>Density:</li> <li>Powder Or Not:</li> <li>Sureface:</li> </ul>	Material:Iron Nickel MaterialNi (Min):72%Resistance ( $\mu$ Ω.m):1.15Ultimate Strength ( $\geq$ MPa):965Elongation ( $\geq$ %):30Density:8.2 G/cm3Powder Or Not:Not PowderSureface:Bright,OxidedApplication:Construction, Industry

### More Images



### Product Description

Contact Person : Steven WhatsApp : +8618961220953 E-mail: victory@dlx-alloy.com





# **INCOLOY BAR**

Incoloy 800,800H,800HT,825,925 Customized service available

#### Nickel Alloy Inconel 718 Steel Round Bar ASTM N07718 Inconel X750 GH4145 Alloy Steel Bar

Key features of Incoloy rods include:

1. High Temperature Resistance: Incoloy 800 rods can withstand elevated temperatures up to 1100°C (2010°F) while maintaining good mechanical strength. They are commonly used in applications involving heat treatment, furnace components, and thermal processing equipment.

2.Corrosion Resistance: Incoloy 800 rods exhibit excellent resistance to corrosion in various environments, including sulfuric acid, nitric acid, and chloride-containing environments. They are commonly used in chemical processing, petrochemical, and power generation industries.

3.Oxidation Resistance: Incolog 800 rods offer excellent resistance to oxidation, making them suitable for high-temperature applications where exposure to air or oxygen is involved.

4. Formability and Weldability: Incoloy 800 rods are known for their good formability and weldability, allowing for easy fabrication and assembly of complex structures and components.

Item	800	800H	800HT	825	92
С	≤0.1	0.05-0.1	0.06-0.1	≤0.05	≤0
Mn	≤1.5	≤1.5	≤1.5	≤1	≤
Fe	rest	rest	rest	rest	re
Р				≤0.02	≤0
S	≤0.015	≤0.015	≤0.015	≤0.03	≤0
Si	≤1	≤1	≤1	≤0.5	≤(
Cu	≤0.75	≤0.75	≤0.75	1.5-3	1.{
Ni	30-35	30-35	30-35	38-46	42
Al	0.15-0.6	0.15-0.6	0.15-0.6	0.2-1	0.15
Ti	0.15-0.6	0.15-0.6	0.15-0.6	0.6-1.2	1.9
Cr	19-23	19-23	19-23	19.5-23.5	19.5
Мо				2.5-3.5	2.5

## **Product Details**

High-quality materials and surface treatment technology














# **Product Comparison**

The quality of our products has been strictly tested and guaranteed





high-temperature alloy, and more.

