

Nickel Alloy Corrosion Resistant Incoloy Alloy 800 825 Pipe Inconel 625 600 718 Tube

BIX

6 15

1.1

for more products please visit us on victory-alloy.com

Basic Information		
 Place of Origin: Brand Name: Certification: Model Number: 	China Victory CE,ROHS,ISO 9001 Incoloy 800,800H,800HT,825,925	VK
Minimum Order Quantity:Price:Packaging Details:	5 Kg 30 - 499 kilograms \$48.90 Plastic film or waterproof woven bag inside, wire packed in spool put into carton,coil wire or strip wire put into wooden case	Ś
Delivery Time:Payment Terms:	5-21 days L/C, T/T, Western Union, MoneyGram	
 Supply Ability: 	300 tons per month	

Product Specification

 Product Name: 	Incoloy Tube	VK.
 Material: 	Ni Fe Cr	
 Nickel(Min): 	72%	
 Resistance (μΩ.m): 	1.15	////
 Powder Or Not: 	Not Powder	
 Ultimate Strength (≥ MPa): 	500	
 Elongation (≥ %): 	35%	
 Density (g/m3): 	8.4 G/cm3	
• Surface:	Bright	
• Size:	Customized	
 Processing Service: 	Decoiling,Cutting,Bending	
 Application: 	Aerospace Industry, Chemical Processing	
Highlight:	Corrosion Resistant Incoloy Alloy 800, Incoloy Alloy 825 Pipe	

More Images



Product Description

ion

Contact Person : Steven WhatsApp : +8618961220953 E-mail: victory@dlx-alloy.com



INCOLOY TUBE

Incoloy 800,800H,800HT,825,925 Customized service available

Incoloy pipes are tubular products made from the nickel-based alloy known as Incoloy. Incoloy is a group of superalloys that are primarily composed of nickel, with additions of chromium, iron, and other elements to enhance its properties. Incoloy pipes offer excellent resistance to corrosion, high-temperature environments, and mechanical stress.

Incoloy pipes exhibit exceptional resistance to corrosion in various harsh environments, including acids, alkalis, seawater, and oxidizing and reducing media. They are highly resistant to pitting, crevice corrosion, and intergranular attack, making them suitable for applications in chemical processing, oil and gas, and marine industries.

Size dimension range:

Wire: 0.01-10mm Strip: 0.05*5.0-5.0*250mm Bar: φ 4-50mm;Length 2000-5000mm Pipe: φ 6-273mm; δ 1-30mm;Length 1000-8000mm Sheet: δ 0.8-36mm;Width 650-2000mm;Length 800-4500mm

Incoloy series:800,800H,800HT,825

Item	800	800H	800HT	825	92
С	≤0.1	0.05-0.1	0.06-0.1	≤0.05	≤0
Mn	≤1.5	≤1.5	≤1.5	≤1	≤
Fe	rest	rest	rest	rest	re
Р				≤0.02	≤0
S	≤0.015	≤0.015	≤0.015	≤0.03	≤0
Si	≤1	≤1	≤1	≤0.5	≤(
Cu	≤0.75	≤0.75	≤0.75	1.5-3	1.{
Ni	30-35	30-35	30-35	38-46	42
Al	0.15-0.6	0.15-0.6	0.15-0.6	0.2-1	0.15
Ti	0.15-0.6	0.15-0.6	0.15-0.6	0.6-1.2	1.9
Cr	19-23	19-23	19-23	19.5-23.5	19.5
Мо				2.5-3.5	2.5

Product Details


High-quality materials and surface treatment technology
















ss Teste



