



Hot Rolled Nickel Alloy Inconel 625 Strip For Oil And Gas Industry

Our Product Introduction

for more products please visit us on victory-alloy.com

Basic Information

- Place of Origin: China
- Brand Name: Victory
- Certification: CE,ROHS,ISO 9001
- Model Number: Inconel 625
- Minimum Order Quantity: 1 Kg
- Price: Negotiable
- Packaging Details: Packed as coil. Special packaging requirements can also be accommodated. OEM is also acceptabl
- Delivery Time: 7 to 20 Days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 Ton/Tons per Month





Product Specification

- Product Name: Inconel 625 Strip
- Material: Ni Cr Fe
- Ni (Min): 58%
- Application: Oil Well Pipes And Valves, Reactors
- Density (g/m3): 8.44 G/cm3
- Thermal Expansion Coefficient: $12.8 \times 10^{-6}/^{\circ}\text{C}$
- Thermal Conductivity: 13.3 W/(m·K)
- Elongation (\geq %): 45%
- Melting Point: 1290-1350°C
- Yield Strength: 275 MPa
- Tensile Strength: 620 MPa
- Highlight: Hot Rolled Inconel 625 Strip, Inconel 625 Strip



More Images



Product Description

Introduction:

Inconel 625 belt plays an important role in the oil and gas industry. As a high-temperature alloy strip, it has excellent corrosion resistance and high-temperature strength and is suitable for use in harsh environments. In critical applications such as oil well piping, high-temperature crackers and distillation columns, Inconel 625 tape is able to withstand corrosion, heat and pressure to ensure reliable operation of the equipment. Its parameters such as density, coefficient of thermal expansion, thermal conductivity, yield strength and tensile strength make it ideal for use in the oil and gas industry. Overall, Inconel 625 tape provides an important material solution for the oil and gas industry with its excellent performance and reliability.

Characteristic:

Corrosion resistance: Inconel 625 tape has excellent corrosion resistance and can withstand corrosive media in the oil and gas industry, including acidic, alkaline and salt solutions.

High temperature stability: This strip can maintain high strength and stability in high temperature environments and is suitable for high temperature components and devices in the oil and gas industry.

Oxidation Resistance: Inconel 625 tape has good antioxidant properties and is able to prevent oxidation and corrosion at high temperatures.

Advantage:

Corrosion resistance: One of the advantages of Inconel 625 tape in the oil and gas industry is its excellent corrosion resistance, which can reduce corrosion losses in equipment and pipelines and increase equipment service life.

High temperature stability: Inconel 625 tape can maintain high strength and stability in high temperature environments and is suitable for high temperature oil and gas processing equipment, pipelines and valves.

Oxidation resistance: The strip's antioxidant properties can prevent oxidation and corrosion under high temperature conditions, ensuring the reliability and long-term use of the equipment.

Application:

Oil extraction: Inconel 625 belt can be used for marine wellhead equipment, oil well pipes and valves in the oil extraction process. It can withstand seawater environments, corrosive media and high temperature conditions and is used in oil extraction and transportation processes.

Natural gas processing: Inconel 625 belts can be used in high-temperature heat exchangers, reactors and pipeline systems in natural gas processing processes. It can withstand high temperatures and corrosive media and is used in natural gas purification and processing processes.

Petrochemical Industry: Inconel 625 tape can be used in high-temperature reactors, catalyst pipes and heating elements in the petrochemical industry. It can withstand high temperatures and corrosive media and is used in catalytic cracking, reforming and heating in petrochemical processes.

Specifications and certifications include:

- * AMS: 5599, 5666
- * MS: 5837
- * ASME: SB 443 Gr 1, SB 446 Gr 1
- * ASTM: B 443 Gr 1, B 446 Gr 1
- * EN: 2.4856
- * ISO: 15156-3
- * NACE: MR0175-3
- * UNS: N06625
- * Werkstoff: 2.4856

Parameter:

Chemical Properties of Inconel 625

Nickel	Chromium	Molybdenum	Iron	Niobium and Tantalum	Cobalt	Manganese	Silicon
58%	20%-23%	8%-10%	5%	3.15%-4.15%	1%	0.5%	0.5%



Type we could offer

AMS Number	Alloy	Type	UNS	Cross Ref. Spec	Misc./Shape
AMS 5581	Inconel 625	Nickel	N06625		
AMS 5581 Custom Tube	Inconel 625	Nickel	N06625	-	Custom Tube
AMS 5581 Tubing	Inconel 625	Nickel	N06625	-	Tubing

AMS Number	Alloy	Type	U N S	Cross Ref. Spec	Misc./Shape
AMS 5599	Inconel 625	Nickel	N 0 6 6 2 5		
AMS 5599 Plate	Inconel 625	Nickel	N 0 6 6 2 5	-	Plate
AMS 5599 Sheet	Inconel 625	Nickel	N 0 6 6 2 5	-	Sheet
AMS 5599 Strip	Inconel 625	Nickel	N 0 6 6 2 5	-	Strip
AMS 5666	Inconel 625	Nickel	N 0 6 6 2 5		
AMS 5666 Bar	Inconel 625	Nickel	N 0 6 6 2 5	-	Bar
AMS 5666 Custom Tube	Inconel 625	Nickel	N 0 6 6 2 5	-	Custom Tube
AMS 5666 Forging	Inconel 625	Nickel	N 0 6 6 2 5	-	Forging
AMS 5666 Ring	Inconel 625	Nickel	N 0 6 6 2 5	-	Ring
AMS 5869	Inconel 625	Nickel	N 0 6 6 2 5		
AMS 5869 Plate	Inconel 625	Nickel	N 0 6 6 2 5	-	Plate
AMS 5869 Sheet	Inconel 625	Nickel	N 0 6 6 2 5	-	Sheet

AMS Number	Alloy	Type	UNS	Cross Ref. Spec	Misc./Shape
AMS 5869 Strip	Inconel 625	Nickel	N06625	-	Strip

contact us
email:victory@dlx-alloy.com
 Oem service:
 Welcome customized size
 We are experience factory for OEM&ODM service



Changzhou Victory Technology Co., Ltd



+8619906119641



victory@dlx-alloy.com



victory-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu