Custom 0.12mm 0.15mm 0.2mm 0.25mm 0.3mm Pure Nickel Strip 6mm 8mm 10mm For 18650 21700 Battery Welding

Basic Information

Place of Origin: China
Brand Name: Victory
Certification: ISO,TUV, RoHS
Model Number: N4,N6,Ni200,Ni201

Minimum Order Quantity: 2kgPrice: \$28-\$32/kg

Packaging Details: Spool package with Carton box, Coil

package with polybag,

• Delivery Time: 5-21 days

• Payment Terms: L/C, T/T, Western Union, MoneyGram

• Supply Ability: 300 tons per month



Product Specification

Product Name: Pure Nickel StripGrade: N4,N6,Ni200,Ni201

Metal: Nickel • Ni(min): 99.95% Resistance (μΩ.m): 1.5 Ultimate Strength (≥ MPa): 462 45 Elongation (≥ %): Surface: Briaht Density (g/cm3): 8.9 G/cm3 Resistivity: 1.35±0.07 Melting Point(°C): 1435-1446 °C Application: Chemical Industry

• M.O.Q: 2KG

• Highlight: 99.9% Pure Nickel Strip,

Customized Pure Nickel Coil



More Images





Product Description

The main application areas of Pure Nickel Strip include but are not limited to the following:

- 1.Lithium battery industry: Pure Nickel Strip is widely used as a connector and battery pack for lithium-ion batteries, nickel hydrogen batteries, lithium polymer batteries, and other batteries, ensuring battery performance and stability.
- 2. Electronic industry: Pure Nickel Strip is used to manufacture electronic components, resistors, conductive sheets, etc., providing reliable conductive connections and electronic performance.
- 3.Chemical industry: Due to its excellent corrosion resistance, Pure Nickel Strip plays an important role in chemical treatment equipment, catalysts, and electrolytic cells.
- 4. Energy sector: Pure Nickel Strip is widely used in energy equipment, such as solar cells, fuel cells,

and sensors, to ensure efficient energy conversion and transmission.

5.The automotive industry: Pure Nickel Strip is applied to the manufacturing of automotive battery systems, sensors, and electronic components, providing reliable connections and performance for automotive electrical systems.

In summary, Pure Nickel Strip is a high-quality metal strip with corrosion resistance, excellent conductivity, and plasticity. It has extensive applications in fields such as lithium batteries, electronics, chemicals, energy, and automobiles, providing reliable solutions for various industrial and technological fields.

Specification

Grade	Ni+Co	Cu	Si	Mn	С	Mg	S	Р
N4	99.8	0.015	0.03	0.002	0.01	0.01	0.001	0.00 1
N6	99.6	0.10	0.10	0.05	0.10	0.10	0.005	0.00
Ni201	≥99.0	≤0.25	≤0.35	≤0.35	≤0.02	/	≤0.01	/
Ni200	≥99.2	≤0.25	≤0.35	≤0.35	≤0.15	1	≤0.01	1
Material		18650/21700/2665	0/32650 nickel str	p				
Dimension 1P to 9P								
Available Space 18.5mm,19mm, 19.5mm, 2			.5mm, 20.2mm					
Usage Use for 18650 battery pack								

Dimension	1P to 9P	
Available Space	18.5mm,19mm, 19.5mm, 20.2mm	
Usage	Use for 18650 battery pack	
Package	Nickel strip in roll pack into carton	
Physical properties	High temperature resistant, corrosion resistance,	
Technical support	With imported stamping machine, Japanese Sodick, complete mold (more than 2000 sets of battery industry hardware mold), and can open mold independently.	
Functions	Products are widely used in energy storage battery, new energy vehicles, electric bicycles, solar street lights, power tools and other energy products	
Advantage	All materials are degreased and adopt the dry -punching technology to ensure that the product is clean.	

H shape nickel strip: 1P, 2P 3P, 4P, 5P, 6P, 7P, 8P, 9P

Model	1odel Thickness	Distance of two welding centers: 18.5mm (used for battery pack without battery spacer)	Distance of two welding centers: 19mm	Distance of two welding centers: 19.5mm	Distance of two welding centers: 20/20.25mm
		Width(mm)	Width(mm)	Width(mm)	Width(mm)
1P		8	8	8	8
2P		25.5/27	26.5/27	26.5/27	27
3P		44	46	46	47
4P		62.5	65.5	65.5	67
5P	0.15/0.2mm	81	85	85	87
6P		99.5	104.5	104.5	107
7P		118	124	124	127
8P		136.5	143.5	143.5	147
9P		155	163	163	167

H shape nickel strip

Model	Thickness	Width	Distance of two welding centers
1P		8	
2P		23	
3P	0.15/0.2mm	39	18.5mm
4P		55	
5P		71	

Туре	Dimension(mm)		Width	Dimension of the Square hole	Nickel Plated steel strip	Pure Nickel	Type of batter pack	
		g(nn)		(mm)	Length for per Kg(n)		with holder	without holder
	0.15*7*18.4	18. 4		-	128.3	112.6		4
1P 18650 Nickel strip	0. 15*7*19	19	7	-	127.9	112.1	4	
ir 10050 Nickel Strip	0.15*7*19.5	19. 5	'	-			4	
	0.15*7*20.25	20. 25		-	127.6	111.9	-√	
	0. 15*26*19(13. 5*13. 5)	19	26	12*12	47. 2	41. 4	-√	
2P 18650 Nickel strip	0. 15*27*19. 5(12*14. 5)	19. 5		12*14.5	48. 9	42. 9	4	
2r 10000 Nickel Strip	0. 15*27*19. 75 (12. 5*12. 5)	19.75	27	12. 5*12. 5	47	41. 2	-√	
	0. 15*27*20. 25 (13. 5*13. 5)	20. 25		13. 5*13. 5	48. 9	42. 9	4	
2P 18650 Nickel strip	0.15*25.5*18.4(11*12.5)	18. 4		11*12.5	48. 9	42. 9		√
Dislocation 2P 18650 Nickel strip	0. 15*25. 5*18. 4 (8*9. 5)	18. 4	25. 5	8*9.5	41. 1	36. 1		4
Dislocation 2P 18650 Nickel strip	0. 15*25. 5*19. 5 (8*9. 5)	19. 5		8*9.5	38. 6	33. 8	4	
	0. 15*44. 5*18. 4 (11*12. 5)	18. 4	44. 5	11*12.5	27. 4	24		4
3P 18650 Nickel strip	0.15*45*19 (12*12)	19	45	12*12	29. 1	25. 5	-√	
or 10000 Nickel Strip	0. 15*47. 5*20. 15 (12. 65*12. 65)	20. 15	47. 5	12. 65*12. 65	27. 4	24	4	
	0.15*47.5*20.25 (13.5*13.5)	20. 25	41.5	13. 5*13. 5	29. 4	25. 7	4	
	0.15*63*18.5 (11*12.5)	18. 5	63	11*12.5	21. 6	18. 9		-√
4P 18650 Nickel strip	0.15*64*19 (12*12)	19	64	12*12	21	18. 4	-√	
Wr 10000 Nickel Strip	0. 15*67. 95*20. 15 (12. 65*12. 65)	20. 15	67. 95	12.65*12.65	19. 6	17. 2	4	
	0.15*67.7*20.25 (13.5*13.5)	20. 25	67	13. 5*13. 5	21. 3	18. 7	-√	
	0.15*83*19 (12*12)	19	83	12*12	16. 4	14. 4	-√	
5P 18650 Nickel strip	0. 15*88. 1*20. 15 (12. 65*12. 65)	20. 15	88. 1	12.65*12.65	19. 7	17. 3	4	
	0.15*87.9*20.25 (13.5*13.5)	20. 25	87. 9	13. 5*13. 5	16.7	14.6	4	
6P 18650 Nickel strip	0.15*102*19 (12*12)	19	102	12*12	13. 5	11. 9	-√	
	0.15*108.25*20.15	20. 15	108. 25	12. 65*12. 65	12.6	11	4	
	0.15*108.1*20.25 (13.5*13.5)	20. 25	108.1	13. 5*13. 5	13. 7	12	4	
	0.15*121*19 (12*12)	19	121	12*12	11. 5	10	-√	
7P 18650 Nickel strip	0. 15*128. 4*20. 15 (12. 65*12. 65)	20. 15	128.4	12. 65*12. 65	10. 7	9.4	4	
	0.15*128.3*20.25 (13.5*13.5)	20. 25	128.3	13. 5*13. 5	11.6	10. 2	4	
8P 18650 Nickel strip	0.15*140*19 (12*12)	19	140	12*12	10	8.7	-√	



Shape	Size(mm)
Wire	0.025-10
Ribbon	(0.05-0.2)*(0.5-6)
Strip	(0.05-0.5)*(5-200)

