



Pure Nickel 99.9% Nickel Alloy Wire Corrosion Resistant

Our Product Introduction

for more products please visit us on victory-alloy.com

Basic Information

- Place of Origin: China
- Brand Name: Victory
- Certification: ISO9001,ROHS
- Model Number: N4,N6,Ni200,Ni201
- Minimum Order Quantity: 1KG
- Price: 5 - 99 kilograms US\$45.00
- Packaging Details: Spool package with Carton box, Coil package with polybag,
- Delivery Time: 7-25 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 300 tons per month



Product Specification

- Product Name: Pure Nickel Wire
- Grade: N4,N6,Ni200,Ni201
- Material: Ni
- Elongation (\geq %): 35%
- Ni(min): 99%
- Shape: Wire
- Size: 0.025-10mm
- Ultimate Strength (\geq MPa): 462
- Resistance ($\mu\Omega\cdot m$): 15
- Melting Point: 1435-1446°C
- Tensile Strength Ksi (min): 462
- Hardness: S,1/4H,1/2H,3/4H,H
- Application: Industry,Electronic
- M.O.Q: 1KG
- Delivery: 7-25 Days



More Images



Product Description

Pure Nickel 99.9% Nickel Alloy Wire Price Per Meter

Introduction:

1. Pure nickel wire is a versatile and highly reliable material that finds extensive applications across various industries.
2. This wire is composed of highly pure nickel metal, known for its exceptional properties and performance.
3. With its high corrosion resistance and excellent thermal and electrical conductivity, pure nickel wire is widely used in industries such as electronics, aerospace, and chemical processing.
4. It serves as a vital component in electronic circuitry, where its efficient electrical transmission ensures reliable performance in complex devices.
5. Additionally, its resistance to corrosion makes it suitable for demanding environments where exposure to harsh chemicals or extreme temperatures is prevalent.

Specification:

Grade	Ni+Co	Cu	Si	Mn	C	Mg	S	P	Fe
N4	99.9	≤0.015	≤0.03	≤0.002	≤0.01	≤0.01	≤0.001	≤0.001	≤0.04
N6	99.5	0.10	0.10	0.05	0.10	0.10	0.005	0.002	0.10
Ni201	≥99.9	≤0.25	≤0.35	≤0.35	≤0.02	/	≤0.01	/	≤0.40
Ni200	≥99.6	≤0.25	≤0.35	≤0.35	≤0.15	/	≤0.01	/	≤0.40

Physical Data	
Density	8.89g/cm ³
Specific Heat	0.109(456 J/kg.°C)
Electrical Resistivity	0.096×10 ⁻⁶ ohm.m
Melting Point	1435-1446°C
Thermal Conductivity	70.2 W/m-K
Mean Coeff Thermal Expansion	13.3×10 ⁻⁶ m/m.°C
Typical Mechanical Properties	
Mechanical Properties	Nickel 200
Tensile Strength	462 Mpa
Yield Strength	148 Mpa
Elongation	47%

Characteristics:

1. **Corrosion Resistance:** Pure nickel wire exhibits excellent resistance to corrosion, making it highly durable and suitable for use in corrosive environments.
2. **Electrical Conductivity:** Pure nickel wire has good electrical conductivity, allowing for efficient transmission of electricity in various applications.
3. **Thermal Conductivity:** Pure nickel wire possesses high thermal conductivity, enabling it to transfer heat effectively in heating applications.
4. **Ductility and Malleability:** Pure nickel wire is ductile and malleable, meaning it can be easily shaped and formed into different configurations without compromising its structural integrity.



Shape	Size(mm)
Wire	0.025-10
Ribbon	(0.05-0.2)*(0.5-6)
Strip	(0.05-0.5)*(5-200)



Changzhou Victory Technology Co., Ltd



+8619906119641



victory@dlx-alloy.com



victory-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu