



Custom Spot Welding Tab Battery Contact Pure Nickel Strip For 18650

Our Product Introduction


Basic Information

- Place of Origin: China
- Brand Name: Victory
- Certification: ISO,TUV, RoHS
- Model Number: N4,N6,Ni200,Ni201
- Minimum Order Quantity: 2kg
- Price: 1 - 49 kilograms US\$35.00
- Packaging Details: Spool package with Carton box, Coil package with polybag,
- Delivery Time: 5-21 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 300 tons per month



Product Specification

- Product Name: Pure Nickel Strip
- Grade: N4,N6,Ni200,Ni201
- Metal: Nickel
- Ni(min): 99.5%
- Resistance ($\mu\Omega\cdot m$): 1.5
- Ultimate Strength ($\geq MPa$): 462
- Elongation ($\geq \%$): 45
- Surface: Bright
- Density (g/cm^3): 8.9 G/cm^3
- Resistivity: 1.35 ± 0.07
- Melting Point($^{\circ}C$): 1435-1446 $^{\circ}C$
- Application: Chemical Industry Battery Assembly
- M.O.Q: 2KG
- Highlight: **18650 Pure Nickel Strip, Tab Battery Pure Nickel Strip,**



More Images



for more products please visit us on victory-alloy.com

Product Description

Introduction:

1. Our pure nickel strip is a top-of-the-line product that offers exceptional performance and versatility for a wide range of applications.
2. With its superior corrosion resistance, it can withstand harsh environments, ensuring long-lasting durability. The strip's excellent electrical conductivity enables efficient energy transfer and minimizes power losses in electrical systems.
3. Additionally, its high thermal conductivity allows for effective heat dissipation, making it suitable for applications that require temperature management.
4. With superior corrosion resistance, it can withstand harsh environments, ensuring long-lasting durability. The strip's excellent electrical conductivity enables efficient energy transfer and minimizes power losses in electrical systems.
5. Additionally, its high thermal conductivity allows for effective heat dissipation, making it suitable for applications that require temperature management.
6. With customizable options and easy formability, our pure nickel strip is a reliable choice for various industries, including electronics, automotive, and aerospace.

Characteristics:

1. **Excellent corrosion resistance:** Pure nickel strip exhibits exceptional resistance to corrosion, ensuring long-lasting durability even in harsh environments.
2. **High electrical conductivity:** It offers excellent electrical conductivity, enabling efficient flow of electrical current with minimal resistance.
3. **Good thermal conductivity:** Pure nickel strip has high thermal conductivity, facilitating effective heat dissipation and temperature management.
4. **Customizable dimensions:** It is available in various dimensions, allowing for customization to meet specific project requirements.
5. **Easy formability and weldability:** Pure nickel strip is highly ductile and malleable, making it easy to shape, bend, and form. It also exhibits excellent weldability for secure connections.
6. **Versatile applications:** Pure nickel strip finds application in diverse industries, including battery manufacturing, electronics, automotive, aerospace, and more, due to its reliability and performance.

Specification:

Grade	Ni+Co	Cu	Si	Mn	C	Mg	S	P	Fe
N4	99.8	0.015	0.03	0.002	0.01	0.01	0.001	0.001	0.04
N6	99.6	0.10	0.10	0.05	0.10	0.10	0.005	0.002	0.10
Ni201	≥99.0	≤0.25	≤0.35	≤0.35	≤0.02	/	≤0.01	/	≤0.40
Ni200	≥99.2	≤0.25	≤0.35	≤0.35	≤0.15	/	≤0.01	/	≤0.40

Material	18650/21700/26650/32650 nickel strip
Dimension	1P to 9P
Available Space	18.5mm, 19mm, 19.5mm, 20.2mm
Usage	Use for 18650 battery pack
Package	Nickel strip in roll pack into carton
Physical properties	High temperature resistant, corrosion resistance,
Technical support	With imported stamping machine, Japanese Sodick, complete mold (more than 2000 sets of battery industry hardware mold), and can open mold independently.
Functions	Products are widely used in energy storage battery, new energy vehicles, electric bicycles, solar street lights, power tools and other energy products
Advantage	All materials are degreased and adopt the dry -punching technology to ensure that the product is clean.


H shape nickel strip: 1P, 2P 3P, 4P, 5P, 6P, 7P, 8P, 9P

Model	Thickness	Distance of two welding centers: 18.5mm (used for battery pack without battery spacer)	Distance of two welding centers: 19mm	Distance of two welding centers: 19.5mm	Distance of two welding centers: 20/20.25mm
		Width(mm)	Width(mm)	Width(mm)	Width(mm)
1P	0.15/0.2mm	8	8	8	8
2P		25.5/27	26.5/27	26.5/27	27
3P		44	46	46	47
4P		62.5	65.5	65.5	67
5P		81	85	85	87
6P		99.5	104.5	104.5	107
7P		118	124	124	127
8P		136.5	143.5	143.5	147
9P		155	163	163	167

H shape nickel strip

Model	Thickness	Width	Distance of two welding centers
1P	0.15/0.2mm	8	18.5mm
2P		23	
3P		39	
4P		55	
5P		71	

Type	Dimension(mm)	Cell specin s(mm)	Width	Dimension of the Square hole (mm)	Nickel Plated steel strip	Pure Nickel	Type of battery pack	
					Length for per Kg(m)		with holder	without holder
1P 18650 Nickel strip	0.15*7*18.4	18.4	7	-	128.3	112.6	✓	
	0.15*7*19	19		-	127.9	112.1	✓	
	0.15*7*19.5	19.5		-			✓	
	0.15*7*20.25	20.25		-	127.6	111.9	✓	
2P 18650 Nickel strip	0.15*26*19(13.5*13.5)	19	26	12*12	47.2	41.4	✓	
	0.15*27*19.5(12*14.5)	19.5		12*14.5	48.9	42.9	✓	
	0.15*27*19.75(12.5*12.5)	19.75	27	12.5*12.5	47	41.2	✓	
	0.15*27*20.25(13.5*13.5)	20.25		13.5*13.5	48.9	42.9	✓	
2P 18650 Nickel strip	0.15*25.5*18.4(11*12.5)	18.4	25.5	11*12.5	48.9	42.9		✓
Dislocation 2P 18650 Nickel strip	0.15*25.5*18.4(8*9.5)	18.4		8*9.5	41.1	36.1		✓
Dislocation 2P 18650 Nickel strip	0.15*25.5*19.5(8*9.5)	19.5		8*9.5	38.6	33.8	✓	
3P 18650 Nickel strip	0.15*44.5*18.4(11*12.5)	18.4	44.5	11*12.5	27.4	24		✓
	0.15*45*19(12*12)	19	45	12*12	29.1	25.5	✓	
	0.15*47.5*20.15(12.65*12.65)	20.15		12.65*12.65	27.4	24	✓	
	0.15*47.5*20.25(13.5*13.5)	20.25	47.5	13.5*13.5	29.4	25.7	✓	
4P 18650 Nickel strip	0.15*63*18.5(11*12.5)	18.5	63	11*12.5	21.6	18.9		✓
	0.15*64*19(12*12)	19	64	12*12	21	18.4	✓	
	0.15*67.95*20.15(12.65*12.65)	20.15	67.95	12.65*12.65	19.6	17.2	✓	
	0.15*67.7*20.25(13.5*13.5)	20.25	67	13.5*13.5	21.3	18.7	✓	
5P 18650 Nickel strip	0.15*83*19(12*12)	19	83	12*12	16.4	14.4	✓	
	0.15*88.1*20.15(12.65*12.65)	20.15	88.1	12.65*12.65	19.7	17.3	✓	
	0.15*87.9*20.25(13.5*13.5)	20.25	87.9	13.5*13.5	16.7	14.6	✓	
	0.15*102*19(12*12)	19	102	12*12	13.5	11.9	✓	
6P 18650 Nickel strip	0.15*108.25*20.15	20.15	108.25	12.65*12.65	12.6	11	✓	
	0.15*108.1*20.25(13.5*13.5)	20.25	108.1	13.5*13.5	13.7	12	✓	
	0.15*121*19(12*12)	19	121	12*12	11.5	10	✓	
	0.15*128.4*20.15(12.65*12.65)	20.15	128.4	12.65*12.65	10.7	9.4	✓	
7P 18650 Nickel strip	0.15*128.3*20.25(13.5*13.5)	20.25	128.3	13.5*13.5	11.6	10.2	✓	
	0.15*140*19(12*12)	19	140	12*12	10	8.7	✓	



Changzhou Victory Technology Co., Ltd

+8619906119641

victory@dlx-alloy.com

victory-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu