



0.025mm Enamel Insulated Thermocouple Wire With 7.4g/cm³ Density


Basic Information

- Place of Origin: China
- Brand Name: Victory
- Certification: ISO SGS
- Model Number: Thermocouple Bare Wire



Product Specification

- Highlight: 0.025mm Enamel Insulated Thermocouple Wire,
7.4g/cm³ Enamel Insulated Thermocouple Wire,
high Density Enamel Insulated Thermocouple Wire



Product Description

Product Description:

Conforming to international standards such as IEC and ASTM, this insulated electrical wire is designed to withstand the toughest and most demanding conditions. With an enamelled diameter of 0.025mm, it is ideal for use in high temperature environments, ensuring accurate and precise readings at all times.

Our Thermocouple Bare Wire product is versatile and can be used across a wide range of industries, including aerospace, automotive, chemical, and power generation. Whether you need to measure temperature in furnaces, reactors, engines, or turbines, our K Type Thermocouple Cable has got you covered.

With its high quality and durable construction, this product offers superior performance, accuracy, and reliability. It is resistant to corrosion, oxidation, and other forms of wear and tear, making it ideal for long-term use.

Our Thermocouple Bare Wire product also features excellent insulation properties, ensuring that it maintains its integrity and functions effectively even in extreme conditions. It has an acceptable sample rate, ensuring that you get accurate and consistent readings every time.

This product is designed with your convenience and ease of use in mind. It has no outer jacket material, making it easy to handle and install. The conductor material is made of Chromel/Alumel, ensuring that it is strong, reliable, and able to withstand high temperatures.

Whether you are a professional in the electrical or thermocouple industry, or simply looking for a reliable and high-quality product for your personal use, our Thermocouple Bare Wire is the perfect solution for you.

Applications:

Product Name: Victory Thermocouple Bare Wire

Brand Name: Victory

Model Number: Thermocouple Bare Wire

Place of Origin: China

Minimum Order Quantity: 5

Enamelled Wire: Can be supplied upon request

Standard: IEC, ASTM...

Application: Thermocouple, temperature measurement

S Type: Pt-Rh10

Wire Diameter: 0.25mm

The Victory Thermocouple Bare Wire is a high-quality product designed for temperature measurement applications. The wire is made in China and meets international standards such as IEC and ASTM. The wire is available in a minimum order quantity of 5, and enamelled wire can be supplied upon request.

One of the most common applications of the Victory Thermocouple Bare Wire is in Fisher Paykel Heater Wire. This is because the wire is made of a special alloy (Pt-Rh10) that is known for its high accuracy and stability in measuring temperature. The wire has a diameter of 0.25mm, making it suitable for use in a wide range of applications.

The Victory Thermocouple Bare Wire is also commonly used as a K Type Thermocouple Cable. This is because the wire is heat-resistant and can withstand high temperatures up to a certain point. This makes it ideal for use in applications where temperatures need to be measured accurately.

The wire can also be used in Heat Resistant Wire Mesh. This is because the wire is made of a special material that can withstand high temperatures and is resistant to corrosion. The wire is also easy to work with and can be cut to any length required.

In summary, the Victory Thermocouple Bare Wire is a versatile product that can be used in a wide range of applications. Its high-quality construction, accuracy, stability, and heat resistance make it a popular choice for temperature measurement applications.

Support and Services:

Our Thermocouple Bare Wire product comes with the following technical support and services:

Expert technical assistance

Customized product development

Calibration and testing services

Product documentation and manuals

Repair and maintenance services

Packing and Shipping:

Product Packaging:

The Thermocouple Bare Wire product will be packaged in a sturdy cardboard box with appropriate cushioning material to ensure that the product remains safe and secure during shipping.

Shipping:

The Thermocouple Bare Wire product will be shipped via a reliable courier service such as FedEx or UPS. Shipping rates will vary depending on the destination and the speed of delivery selected by the customer. Customers will be provided with a tracking number once the product has been shipped.

FAQ:

Q: What is the brand name of this product?

A: The brand name is Victory.

Q: What is the model number of this product?

A: The model number is Thermocouple Bare Wire.

Q: Where is this product manufactured?

A: This product is manufactured in China.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 5.

Q: What is a thermocouple bare wire?

A: A thermocouple bare wire is a temperature sensor that consists of two different metals or alloys that are joined together at one end. When the joined end is heated or cooled, a voltage is created that can be measured and used to determine the temperature.



Changzhou Victory Technology Co., Ltd



+8619906119641



victory@dlx-alloy.com



victory-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu