Tensile Strength 600 Mpa Nickel Welding Wire Spool Packaging

Basic Information

• Place of Origin: China • Brand Name: Victory

• Model Number: Nickel Welding Wire



Product Specification

• Elongation: 40%

• Melting Point: 1455°C

• Weight: 1kg

• Diameter: 0.8mm

· Packaging Type: Spool

Solid • Wire Type:

· Certificates: AWS 5.14 Class ERNiCu-7

• Surface Finish: Bright

• Highlight: 600 Mpa Nickel Welding Wire,

> Tensile Strength Nickel Welding Wire, Spool Packaging Nickel Welding Wire



Product Description:

The Nickel Welding Wire has a Shielding Gas of Argon which helps to protect the weld from contamination and ensures a clean and _ _ _ smooth finish. This gas is perfect for welding wires as it provides excellent protection against oxidation and other harmful elements. The Argon gas also ensures that the welding process is smooth and seamless, resulting in a high-quality weld.

Grade is an important factor to consider when choosing a welding wire, and the Nickel Welding Wire is no exception. This welding wire is graded as ASME SFA 5.14 Class ERNiCu-7, which means that it meets the highest standards of quality and performance. This grade ensures that the welding wire is of superior quality and can be relied upon to provide consistent and reliable results.

The Nickel Welding Wire is made from Nickel, which is a high-quality material that is known for its strength and durability. This material ensures that the welding wire is strong and can withstand heavy use without breaking or becoming damaged. The Nickel material also ensures that the welding wire is resistant to corrosion and other environmental factors, making it ideal for use in various welding applications.

The Brinell Hardness Hb of the Nickel Welding Wire is ≤220, which means that it is a durable and strong welding wire that can withstand heavy use without becoming damaged. This hardness level ensures that the welding wire is strong and sturdy, and can provide reliable and consistent results even in the most demanding welding applications.

In summary, the Nickel Welding Wire is an alloy welding wire that is perfect for various welding applications. It has a Shielding Gas of Argon, a Grade of ASME SFA 5.14 Class ERNiCu-7, and is made from Nickel. It has a Brinell Hardness Hb of ≤220 which ensures that it is a durable and strong welding wire that can provide reliable and consistent results. If you are looking for a high-quality and reliable welding wire, the Nickel Welding Wire is the perfect choice.

Applications:

The Victory Nickel Welding Wire can be used in a wide variety of welding applications. It is ideal for use in the aerospace, automotive, and construction industries. This welding wire is perfect for welding nickel alloys that require high strength and corrosion resistance.

The Victory Nickel Welding Wire is also suitable for use in the marine industry. It is perfect for welding marine components that require high durability and corrosion resistance. This welding wire is also used in the oil and gas industry for welding pipes and other components that are exposed to harsh environments.

The Victory Nickel Welding Wire is designed to meet the highest standards of welding performance. It is certified to meet AWS A5.14 and ASME 9 criteria. This welding wire has a Brinell hardness of ≤220, which makes it ideal for welding alloys that require high strength and durability.

Overall, the Victory Nickel Welding Wire is an excellent choice for anyone looking for a high-quality welding wire that is designed to meet the highest standards of welding performance. This welding wire is perfect for use in a wide variety of welding applications, including the aerospace, automotive, construction, marine, and oil and gas industries.

Support and Services:

- Product selection and recommendation
- Technical advice and troubleshooting
- Welding procedure development
- Training and education
- Quality control and assurance

Our team has extensive knowledge and experience working with Nickel Welding Wire and can provide expert guidance on the most effective welding techniques and procedures for your specific application. We are committed to delivering the highest level of service and support to our customers, and we strive to exceed your expectations at every opportunity.

Packing and Shipping:

Product Packaging:

The Nickel Welding Wire product will be packaged in a sturdy and durable spool.

The spool will be wrapped in a protective plastic covering to prevent any damage during shipping.

The spool will also have a label with product information such as product name, size, and weight.

The Nickel Welding Wire product will be shipped in a sturdy and secure box.

The box will be sealed with tape to ensure the product remains in place during transit.

The box will also have labels with the recipient's address and shipping information.

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is Victory.

Q: What is the model number of this product?

A: The model number of this product is Nickel Welding Wire.

Q: Where is this product made?

A: This product is made in China.

Q: What material is this wire made of?

A: This wire is made of nickel.

Q: What is the diameter of this wire?

A: The diameter of this wire varies depending on the specific product code. Please refer to the product specifications for more information.

Changzhou Victory Technology Co., Ltd

+8619906119641

victory@dlx-alloy.com

NO.32 West Taihu Road, Xinbei District, Changzhou, Jiangsu